

FS286 SPECIFICATIONS

6/88

CPU/MEMORY:

- 80286 16-bit microprocessor
- 6/10MHz user selectable
- 1 wait states
- 13.3MHz LANDMARK throughput rating
- Slot available for 80287/10 math co-processor
- 640KB RAM expandable to 1.6MB
- AWARD BIOS
- Set-up utility in firmware

STORAGE:

- Six half-height drive slots:  
2 hidden; 4 exposed

STANDARD:

- 5.25" 1.2MB floppy disk drive

OPTIONAL:

- Second floppy disk drive:  
5.25" 1.2MB or 360KB;  
3.5" 720KB or 1.44MB
- Up to two 5.25-inch internal  
hard disk drives: 40MB, 80MB,  
or 160MB capacity

DISPLAY  
COMBINATION  
OPTIONS:

- HERCULES Graphics Card Plus with  
RamFont and parallel port
- 14" diagonal high-resolution  
flat screen Green/Amber phosphor  
monitor, with tilt and swivel base
- 720 X 348 resolution
- 80 X 25 lines
- PARADISE Enhanced Graphics  
Adapter (EGA)  
with autoswitch feature
- 14" diagonal high-resolution,  
EGA monitor  
tilt and swivel base
- 640 X 350 resolution
- 80 X 25 lines
- 16 colors

- PARADISE Video Graphics Array (VGA)
- 14" diagonal high-resolution, multi-sync analog monitor with tilt and swivel base
- 800 X 600 resolution
- 80 X 25 lines
- 256 simultaneous colors

INTERFACES:

- Two RS-232 serial ports
- Centronics parallel printer port

EXPANSION SLOTS:

- Eight full-length slots (Two 8-bit; six 16-bit)
- Four half-height slots (Two 8-bit; two 16-bit)

KEYBOARD:

- 101-key enhanced keyboard with separate numeric and cursor control keypads

CLOCK/CALENDAR:

- Real-time clock/calendar with battery backup

POWER:

- 238 WT; 110/220V switchable

INDICATORS/  
SWITCHES:

- Hard Disk Activity and Power display panel lights
- Hardware Reset Switch

PHYSICAL  
CHARACTERISTICS:  
(Base system)

Height: 6.5 inches  
Length: 16.1 inches  
Width: 20.7 inches  
Weight: 45 lbs.

FIVESTAR FS286 COMPUTER SYSTEM PRICING

CONFIGURATIONS INCLUDE THE FOLLOWING BASE SYSTEM FEATURES:

80286 CPU; 16-BIT; 6/10MHz;  
1 WAIT STATES  
640KB RAM  
1.2MB FLOPPY DISK DRIVE  
SERIAL/PARALLEL PORTS  
12 EXPANSION SLOTS  
101-KEY KEYBOARD  
238 WT POWER SUPPLY  
ONE YEAR ON-SITE SERVICE

ADAPTER/14" MONITOR COMBO:				
MODEL	HARD DRIVE	MONO	EGA	VGA
140	40MB	\$2245	\$2595	\$2895
180	80MB	\$2745	\$3095	\$3395
1160	160MB	\$4045	\$4395	\$4695